

**amiria**

Gold, S. M., Friede, T., Meyer, B., Moss-Morris, R., Hudson, J., Asseyer, S., Bellmann-Strobl, J., Leisdon, A., Ißels, L., Ritter, K., Schymanski, D., Pomeroy, H., Lynch, S. G., Cozart, J. S., Thelen, J., Román, C. A. F., Cadden, M., Guty, E., Lau, S., ... Heesen, C. (2023). Internet-delivered cognitive behavioural therapy programme to reduce depressive symptoms in patients with multiple sclerosis: a multicentre, randomised, controlled, phase 3 trial. *The Lancet Digital Health*, 5(10), e668–e678.

[https://doi.org/10.1016/S2589-7500\(23\)00109-7](https://doi.org/10.1016/S2589-7500(23)00109-7)

**deprexis**

Beevers, C. G., Pearson, R., Hoffman, J. S., Foulser, A. A., Shumake, J., & Meyer, B. (2017). Effectiveness of an internet intervention (Deprexis) for depression in a United States adult sample: A parallel-group pragmatic randomized controlled trial. *Journal of Consulting and Clinical Psychology*, 85(4), 367–380.

<https://doi.org/10.1037/ccp0000171>

Berger, T., Häggerli, K., Gubser, N., Andersson, G., & Caspar, F. (2011). Internet-Based Treatment of Depression: A Randomized Controlled Trial Comparing Guided with Unguided Self-Help. *Cognitive Behaviour Therapy*, 40(4), 251–266. <https://doi.org/10.1080/16506073.2011.616531>

Berger, T., Krieger, T., Sude, K., Meyer, B., & Maercker, A. (2018). Evaluating an e-mental health program ("deprexis") as adjunctive treatment tool in psychotherapy for depression: Results of a pragmatic randomized controlled trial. *Journal of Affective Disorders*, 227, 455–462.

<https://doi.org/10.1016/j.jad.2017.11.021>

Bücker, L., Bierbrodt, J., Hand, I., Wittekind, C., & Moritz, S. (2018a). Correction: Effects of a depression-focused internet intervention in slot machine gamblers: A randomized controlled trial. *PloS One*, 13(8), e0203145. <https://doi.org/10.1371/journal.pone.0203145>

Bücker, L., Bierbrodt, J., Hand, I., Wittekind, C., & Moritz, S. (2018b). Effects of a depression-focused internet intervention in slot machine gamblers: A randomized controlled trial. *PLoS ONE*, 13(6).

<https://doi.org/10.1371/journal.pone.0198859>

Carli, V., Gebrewold Petros, N., Vitcheva, T., Berchialla, P., Bianchi, S., Carletto, S., Christinaki, E., Citi, L., ergio Dinis, S., Gentili, C., Geraldes, V., Giovinazzo, L., Gonzalez-Martinez, S., Meyer, orn, Ostacoli, L., Ottaviano, M., Ouakinin, S., Papastylianou, T., Paradiso, R., ... Valenza, G. (2022). The NEVERMIND e-health system in the treatment of depressive symptoms among patients with severe somatic conditions: A multicentre, pragmatic randomised controlled trial. *EClinicalMedicine*, 48, 101423.

<https://doi.org/10.1016/j.eclinm.2022.101423>

Fischer, A., Schröder, J., Vettorazzi, E., Wolf, O. T., Pöttgen, J., Lau, S., Heesen, C., Moritz, S., & Gold, S. M. (2015). An online programme to reduce depression in patients with multiple sclerosis: A randomised controlled trial. *The Lancet Psychiatry*, 2(3), 217–223.

[https://doi.org/10.1016/S2215-0366\(14\)00049-2](https://doi.org/10.1016/S2215-0366(14)00049-2)

Fuhr, K., Fahse, B., Hautzinger, M., & Gulewitsch, M. D. (2018). Implementation of an Internet-Based Self-Help for Patients Waiting for Outpatient Psychotherapy - First Results. *PPmP Psychotherapie Psychosomatik Medizinische Psychologie*, 68(6), 234–241. <https://doi.org/10.1055/s-0043-122241>

Gräfe, V., Moritz, S., & Greiner, W. (2020). Health economic evaluation of an internet intervention for depression (deprexis), a randomized controlled trial. *Health Economics Review*, 10(1).

<https://doi.org/10.1186/s13561-020-00273-0>

Karyotaki, E., Kemmeren, L., Riper, H., Twisk, J., Hoogendoorn, A., Kleiboer, A., Mira, A., MacKinnon, A., Meyer, B., Botella, C., Littlewood, E., Andersson, G., Christensen, H., Klein, J. P., Schröder, J., Bretón-López, J., Scheider, J., Griffiths, K., Farrer, L., ... Cuijpers, P. (2018). Is self-guided internet-based cognitive behavioural therapy (iCBT) harmful? An individual participant data meta-Analysis. *Psychological Medicine*, 48(15), 2456–2466. <https://doi.org/10.1017/S0033291718000648>

Karyotaki, E., Riper, H., Twisk, J., Hoogendoorn, A., Kleiboer, A., Mira, A., MacKinnon, A., Meyer, B., Botella, C., Littlewood, E., Andersson, G., Christensen, H., Klein, J. P., Schröder, J., Bretón-López, J., Scheider, J., Griffiths, K., Farrer, L., Huibers, M. J. H., ... Cuijpers, P. (2017). Efficacy of self-guided internet-based cognitive behavioral therapy in the treatment of depressive symptoms a meta-analysis of individual participant data. *JAMA Psychiatry*, 74(4), 351–359.

<https://doi.org/10.1001/jamapsychiatry.2017.0044>

Klein, J. P., Barthel, B., Berger, T., & Moritz, S. (2020). Feasibility, effectiveness and safety of the self-management intervention deprexis in routine medical care: Results of an uncontrolled observational study. *Internet Interventions*, 22. <https://doi.org/10.1016/j.invent.2020.100341>

Klein, J. P., Berger, T., Schr'der, J., Sp'th, C., Meyer, B., Caspar, F., Lutz, W., Arndt, A., Greiner, W., Gr'fe, V., Hautzinger, M., Fuhr, K., Rose, M., Nolte, S., L'we, B., Andersson, G., Vettorazzi, E., Moritz, S., & Hohagen, F. (2016). Effects of a psychological internet intervention in the treatment of mild to moderate depressive symptoms: Results of the evident study, a randomized controlled trial. *Psychotherapy and Psychosomatics*, 85(4), 218–228. <https://doi.org/10.1159/000445355>

Klein, J. P., Gamon, C., Späth, C., Berger, T., Meyer, B., Hohagen, F., Hautzinger, M., Lutz, W., Vettorazzi, E., Moritz, S., & Schröder, J. (2017). Does recruitment source moderate treatment

effectiveness? A subgroup analysis from the EVIDENT study, a randomised controlled trial of an internet intervention for depressive symptoms. *BMJ Open*, 7(7). <https://doi.org/10.1136/bmjopen-2016-015391>

Klein, J. P., Späth, C., Schröder, J., Meyer, B., Greiner, W., Hautzinger, M., Lutz, W., Rose, M., Vettorazzi, E., Andersson, G., Hohagen, F., Moritz, S., & Berger, T. (2017). Time to remission from mild to moderate depressive symptoms: One year results from the EVIDENT-study, an RCT of an internet intervention for depression. *Behaviour Research and Therapy*, 97, 154–162. <https://doi.org/10.1016/j.brat.2017.07.013>

Meyer, B., Berger, T., Caspar, F., Beevers, C. G., Andersson, G., & Weiss, M. (2009). Effectiveness of a novel integrative online treatment for depression (Deprexis): Randomized controlled trial. *Journal of Medical Internet Research*, 11(2). <https://doi.org/10.2196/jmir.1151>

Meyer, B., Bierbrodt, J., Schröder, J., Berger, T., Beevers, C. G., Weiss, M., Jacob, G., Späth, C., Andersson, G., Lutz, W., Hautzinger, M., Löwe, B., Rose, M., Hohagen, F., Caspar, F., Greiner, W., Moritz, S., & Klein, J. P. (2015). Effects of an Internet intervention (Deprexis) on severe depression symptoms: Randomized controlled trial. *Internet Interventions*, 2(1), 48–59.

<https://doi.org/10.1016/j.invent.2014.12.003>

Moritz, S., Schilling, L., Hauschildt, M., Schröder, J., & Treszl, A. (2012). A randomized controlled trial of internet-based therapy in depression. *Behaviour Research and Therapy*, 50(7–8), 513–521.

<https://doi.org/10.1016/j.brat.2012.04.006>

Mullarkey, M. C., Stein, A. T., Pearson, R., & Beevers, C. G. (2020). Network analyses reveal which symptoms improve (or not) following an Internet intervention (Deprexis) for depression. *Depression and Anxiety*, 37(2), 115–124. <https://doi.org/10.1002/da.22972>

Probst, T., Berger, T., Meyer, B., Späth, C., Schröder, J., Hohagen, F., Moritz, S., & Klein, J. P. (2020). Social phobia moderates the outcome in the EVIDENT study: A randomized controlled trial on an Internet-based psychological intervention for mild to moderate depressive symptoms. *Journal of Consulting and Clinical Psychology*, 88(1), 82–89. <https://doi.org/10.1037/ccp0000441>

Schneider, B. C., Schröder, J., Berger, T., Hohagen, F., Meyer, B., Späth, C., Greiner, W., Hautzinger, M., Lutz, W., Rose, M., Vettorazzi, E., Moritz, S., & Klein, J. P. (2018). Bridging the “digital divide”: A comparison of use and effectiveness of an online intervention for depression between Baby Boomers and Millennials. *Journal of Affective Disorders*, 236, 243–251. <https://doi.org/10.1016/j.jad.2018.04.101>

Schröder, J., Berger, T., Meyer, B., Lutz, W., Hautzinger, M., Späth, C., Eichenberg, C., Klein, J. P., & Moritz, S. (2017). Attitudes Towards Internet Interventions Among Psychotherapists and Individuals with

Mild to Moderate Depression Symptoms. *Cognitive Therapy and Research*, 41(5), 745–756.

<https://doi.org/10.1007/s10608-017-9850-0>

Schröder, J., Berger, T., Meyer, B., Lutz, W., Späth, C., Michel, P., Rose, M., Hautzinger, M., Hohagen, F., Klein, J. P., & Moritz, S. (2018). Impact and change of attitudes toward Internet interventions within a randomized controlled trial on individuals with depression symptoms. *Depression and Anxiety*, 35(5), 421–430. <https://doi.org/10.1002/da.22727>

Schröder, J., Brückner, K., Fischer, A., Lindenau, M., Köther, U., Vettorazzi, E., & Moritz, S. (2014). Efficacy of a psychological online intervention for depression in people with epilepsy: A randomized controlled trial. *Epilepsia*, 55(12), 2069–2076. <https://doi.org/10.1111/epi.12833>

Twomey, C., O'Reilly, G., Bültmann, O., & Meyer, B. (2020). Effectiveness of a tailored, integrative Internet intervention (Deprexis) for depression: Updated meta-analysis. *PLoS ONE*, 15(1).

<https://doi.org/10.1371/journal.pone.0228100>

Twomey, C., O'Reilly, G., & Meyer, B. (2017). Effectiveness of an individually-tailored computerised CBT programme (Deprexis) for depression: A meta-analysis. In *Psychiatry Research* (Vol. 256, pp. 371–377). Elsevier Ireland Ltd. <https://doi.org/10.1016/j.psychres.2017.06.081>

Zwerenz, R., Baumgarten, C., Becker, J., Tibubos, A., Siepmann, M., Knickenberg, R. J., & Beutel, M. E. (2019). Improving the course of depressive symptoms after inpatient psychotherapy using adjunct web-based self-help: Follow-up results of a randomized controlled trial. *Journal of Medical Internet Research*, 21(10). <https://doi.org/10.2196/13655>

Zwerenz, R., Becker, J., Knickenberg, R. J., Siepmann, M., Hagen, K., & Beutel, M. E. (2017). Online Self-Help as an Add-On to Inpatient Psychotherapy: Efficacy of a New Blended Treatment Approach. *Psychotherapy and Psychosomatics*, 86(6), 341–350. <https://doi.org/10.1159/000481177>

### elevida

Pöttgen, J., Moss-Morris, R., Wendebourg, J.-M., Feddersen, L., Lau, S., Köpke, S., Meyer, B., Friede, T., Penner, I.-K., Heesen, C., & Gold, S. M. (2018). Randomised controlled trial of a self-guided online fatigue intervention in multiple sclerosis. *Journal of Neurology, Neurosurgery, and Psychiatry*, 89(9), 970–976. <https://doi.org/10.1136/jnnp-2017-317463>

**emyna**

Meyer, B., Weiss, M., Holtkamp, M., Arnold, S., Brückner, K., Schröder, J., Scheibe, F., & Nestoriuc, Y. (2019). Effects of an epilepsy-specific Internet intervention (Emyna) on depression: Results of the ENCODE randomized controlled trial. *Epilepsia*, 60(4), 656–668. <https://doi.org/10.1111/epi.14673>

Meyer, B., Betz, L.T., Brückner, K., & Holtkamp, M. (2024). Enhancing quality of life in epilepsy with a digital intervention (emyna): Results of the ELAINE randomized controlled trial. *Epilepsia Open*, 00, 1–14. <https://doi.org/10.1002/epi4.13014>

**levidex**

Meyer, B., Betz, L. T., Jacob, G. A., Krause, N., Riemann-Lorenz, K., Gold, S. M., Pöttgen, J., & Heesen, C. (2024). Effectiveness of a digital lifestyle management intervention (levidex) to improve quality of life in people with multiple sclerosis: results of a randomized controlled trial. *BMC Neurology*, 24(1), 347. <https://doi.org/10.1186/s12883-024-03843-5>

**optimune**

Holtdirk, F., Mehnert, A., Weiss, M., Mayer, J., Meyer, B. R., Bröde, P., Claus, M., & Watzl, C. (2021). Results of the Optimune trial: A randomized controlled trial evaluating a novel Internet intervention for breast cancer survivors. *PLoS ONE*, 16(5 May). <https://doi.org/10.1371/journal.pone.0251276>

**priovi**

Jacob, G. A., Hauer, A., Köhne, S., Assmann, N., Schaich, A., Schweiger, U., & Fassbinder, E. (2018). A schema therapy-based ehealth program for patients with borderline personality disorder (priovi): Naturalistic single-arm observational study. *JMIR Mental Health*, 5(4). <https://doi.org/10.2196/10983>

Klein, J. P., Hauer-Von Mauschwitz, A., Berger, T., Fassbinder, E., Mayer, J., Borgwardt, S., Wellhöfer, B., Schweiger, U., & Jacob, G. (2021). Effectiveness and safety of the adjunctive use of an internet-based self-management intervention for borderline personality disorder in addition to care as usual: Results from a randomised controlled trial. *BMJ Open*, 11(9). <https://doi.org/10.1136/bmjopen-2020-047771>

**reclarit**

Betz, L. T., Jacob, G. A., Knitza, J., Koehm, M., & Behrens, F. (2024). Efficacy of a cognitive-behavioral digital therapeutic on psychosocial outcomes in rheumatoid arthritis: randomized controlled trial. *Npj Mental Health Research*, 3(1), 41. <https://doi.org/10.1038/s44184-024-00085-8>

**velibra**

Berger, T., Urech, A., Krieger, T., Stolz, T., Schulz, A., Vincent, A., Moser, C. T., Moritz, S., & Meyer, B. (2017). Effects of a transdiagnostic unguided Internet intervention ('velibra') for anxiety disorders in

primary care: results of a randomized controlled trial. *Psychological Medicine*, 47(1), 67–80.

<https://doi.org/10.1017/S0033291716002270>

**vorvida**

Zill, J. M., Christalle, E., Meyer, B., Härter, M., & Dirmaier, J. (2019). The Effectiveness of an Internet Intervention Aimed at Reducing Alcohol Consumption in Adults. *Deutsches Arzteblatt International*, 116(8), 127–133. <https://doi.org/10.3238/arztbl.2019.0127>